Orthoprovet[™]

Head Office:

2035 Sunset Lake Road, Suite B-2, Newark New Castle 19702 DE USA

Phone: +1(302)613-4333 Phone: +852-8191-3424



Orthoprovet[™]

MEDICAL POWER TOOLS,
EXTERNAL FIXATION,
ORTHOPEDIC INSTRUMENT KITS,
IMPLANTS



ORTHOPROMED INC.

Orthopedic instrument

Orthoprovet Inc.

Orthoprovet Inc. Veterinary Supplies, Instruments

ORTHOPROVET is the brand that our company established for the operation of animal product. To provide better product experience is our first target.

Production-oriented production, sales and technical services for small animal orthopedics market has a profound understanding of, and has a professional R&D team and orthopedic devices market marketing services team.

Our main products: Medical power tool, external fixation, orthopedic instrument kit, implant and other parts of orthopedic medical products, to ensure first-class product quality, the company established a strict quality control system, and set up there are testing centers and other monitoring dept.

UK-IF0001

Reduction porcep(pointed)



L:160mm,180mm

UK-IF0002

Reduction porcep(Teeth)



L:160mm, 180mm

UK-IF0003

Reduction forcep (screw type)



L:150m, 165mm

UK-IF0004

Reduction forcep (self-locking)



L:155m 带尖/带齿 point/teeth

UK-IF0005

Pointed reduction forcep with guide



L:150mm

UK-IF0006

MINI bone forcep



L:140mm

UK-IF0007

Self-centering bone holding forcep



L:160mm 180mm

UK-IF0008

Self-locking reduction forcep(teeth)



L:170mm

UK-IF0009

Plate holding forcep



L:150m, 180mm

UK-IF0010

Lowman bone holding forcep



L:145mm / 175mm / 205mm

UK-IF0011



L:120mm,170mm

UK-IF0012

Wire twister

L:150mm



K-Wire Bender



L:0-2.0mm

UK-IF0014

K-Wire Bender



UK-IF0015

Double action bone cutter

UK-IB0001

Screw holder



UK-IB0002

Screwdriver (hex)



sw1.5, sw2.0. sw2.5

UK-IB0003

Countersink drill



Φ5.0

UK-IF0016

Single action bone rongeur



L:160mm, 2mm/3mm/5mm/8mm

UK-IF0017



直头/夸头 straight/curved 2mm/3mm



UK-IF0018



L:140mm/160mm/180mm

UK-IB0004



Φ1.5/2.0/2.4/2.7/3.5

UK-IB0005



L: 6mm/8mm/15mm

UK-IB0006

Ostectome



2mm/4mm/6mm/8mm

UK-IF0019

Single hook retractor



L:120/140/160/180mm

UK-IF0020

Retractor



UK-IF0021

Laminectomy Rongeur



185mm/220mm straight/curved 2.0mm-4.5mm

UK-IB0007

Bone chisel



6mm/8mm/10mm/15mm

UK-IB0008

Periosteal elevator



6mm/8mm

UK-IB0009

Skin retractor



UK-IF0022

Kerrison Rongeur



185mm/220mm/260mm 90° /110° /130° 1.0mm-5.0mm

UK-IF0023

Multi-hook retractor



L:140/160/180mm

UK-IF0024

Universal multi-hook retractor



UK-IB0010

double-ended retractor



UK-IB0011

Depth gauge



40mm, 60mm, 90mm

UK-IB0012

Nerve dissector





Double-ended periosteal elevator



3mm, 5mm

UK-IB0014

K-wire driver



UK-IB0015

C type wire guide



IB0025

Bouble-end bone file



UK-IB0026

Bone round file



2mm/4mm/6mm/8mm 10mm/12mm/15mm

UK-IB0027

thin osteotome

UK-IB0016

Double head drill guide



Φ1.1/1.5 Φ1.5/2.0 Φ1.8/2.4 Φ2.0/2.7 Φ2.7/3.5

UK-IB0017

Load-neutral drill guide



Φ1.5/2.0 Φ1.8/2.4 Φ2.0/2.7

UK-IB0018



1.5/2.0

UK-IB0028

Mouth gag



UK-IB0029

Multifunctional plate bender



UK-IB0030

Locking drill sleeve



1.1mm/1.8mm

UK-IB0019

Reconstruction plate bender



1.5/2.0, 2.4/2.7, 3.5

UK-IB0020

Bone hammer



UK-IB0021



270g, 350g, 450g, 550g

Slide hammer



1.8mm/2.5mm

UK-IB0031

Locking drill sleeve

UK-IS0001

TC Olsen hegar needle holder



L:140/160mm

UK-IS0002



UK-IS0003

Crile artery forcep



UK-IS0004

Operating scissor



140mm

UK-IS0005

B.P handle No.3



UK-IB0022

Ovary hook



UK-IB0023

K-wire bender



UK-IB0024

Hand bone saw



04

Orthopedic instrument

Orthoprovet Inc.



Bach kaus towel forcep



10mm

UK-IS0007

Mayo safety pin



UK-IS0008 Aillis tissue forcep



14mm

UK-IC0007

End-cutting Pliers



0-2.0mm

UK-IC0012

UK-IC0008

End-cutting Pliers



0-2.5mm

UK-IC0011



0-4.0mm, 0-6.0mm

UK-IS0009

Tissue forcep 1x2 teeth



UK-IS0010

Debakay forcep with golden handle



UK-IS0011





0-3.0mm

UK-IC0013

Rod cutter



0-4.0mm

UK-IC0014

Drill Bit / AO coupling drill bit



Dill bit: 0.9/1.0/1.1/1.2/1.5/1.8/2.0/2.5/ 2.7/2.8/3.0/3.2/3.5/4.0/4.5 L: 115mm

AO coupling drill bit(mm): 1.1x60/1.5x85/ 3.0x125/1.8x120/2.0x125/2.5x125/ 2.7x125/3.2x150/3.5x155/4.5x145

UK-IC0001

Wire cutter(flat)

0-2.0mm

UK-IC0002

Wire cutter(sharp)



0-2.0mm

UK-IC0003

Pin cutter(double edge)



0-3.0mm

UK-IH0001

T quick coupling handle



UK-IH0002

AO quick coupling handle



UK-IH0003

Torque quick coupling handle





UK-IC0004

Parallel plier



0-2.0mm

UK-IC0005



UK-IC0006



UK-IH0004

Self locking hand drill



UK-IH0005

Multifunctional holding bender



UK-IH0006

Spinal retractor



06

Instrument Kit

UK-SFK0001

1.5 2.0 2.4/ Small fracture Kit









UK-TEN0001

Titanium Elastic Nail Instruments Set





UK-SRK0001

Screw Removal Instruments Set






UK-TEN0002

Titanium Elastic Nail Instruments Set





08 09







sterilising case (power tool)



L280mm*W200mm*H54mm

UK-SC002

Sterilising box(empty)



L270mm*W160mm*H50mm

UK-SC003 Screw case



UK-SC004

K-wire container



L330mm*W150mm*H52mm Volume: 10pcs ea.:0.8mm/1.0mm/1.2mm/1.5mm/2.0mm 8pcs ea.:2.5mm/3.0mm/3.5mm/4.0mm/4.5mm

UK-PT001

MINI electric bone drill



UK-PT002

MINI electric cannulated drill



UK-PT003

MINI electric oscillating Saw



10mm*65n lade size 12mm*65m 5mm*55m 8mm*55m

UK-PT005

MINI Multifuction Drill



01 UK-PT00501 02 UK-PT00502 03 UK-PT00503 AO type attach cannulated drill attach

Saw attach

UK-PT00504

K-Wire attachment



UK-EX001

Universal external fixator system(3mm)



UK-EX002

straight external fixator system(2.5mm)



UK-EX003

mini universal external fiator system (2.0mm)



00000000 000000 00000 000



UK-PSC

Straight Cuttable plate

| No. | Name | Size | Size | |
|------------|-----------------------------|-------------|----------|----------|
| NO. | rvairie | TxWxL(mm) | holes | Material |
| PSC1538100 | 1.5 straight Cuttable plate | 1.2x3.8x100 | 20 | S |
| PSC1538150 | 1.5 straight Cuttable plate | 1.2x3.8x150 | 3+5+19 | S |
| PSC2050250 | 2.0 straight Cuttable plate | 1.2x5.0x250 | 3+5+6+30 | S |
| PSC2465163 | 2.0 straight Cuttable plate | 1.5x6.5x163 | 22 | S |

00000000000

UK-PS Straight Plate

| | Name | Size | | |
|----------|----------------------|------------|-------|----------|
| No. | Name | TxWxL(mm) | holes | Material |
| PS205026 | 2.0mm Straight Plate | 1.2x5.0x26 | 4 | S |
| PS205038 | 2.0mm Straight Plate | 1.2x5.0x38 | 6 | S |
| PS205050 | 2.0mm Straight Plate | 1.2x5.0x50 | 8 | S |
| PS205062 | 2.0mm Straight Plate | 1.2x5.0x62 | 10 | S |

UK-PSR

Reconstruction Straight plate

| No. | Name | Si | ze | |
|-------------|--|-------------|-------|----------|
| NO. | Ivame | TxWxL(mm) | holes | Material |
| PSR2050100 | 2.0mm Reconstruction Straight plate | 1.5x5.0x100 | 20 | S |
| PSR2465163 | 2.4mm Reconstruction Straight plate | 1.5x6.5x163 | 25 | S |
| PSR2780160 | 2.7mm Reconstruction Straight plate | 2.5x8.0x160 | 20 | S |
| PSR35110260 | 3.5mm Reconstruction Straight plate | 3.0x11x260 | 22 | S |



UK-PDT

1.5mm Double T-type plate

| | Name | Size | | |
|------------|---------------------------|-----------|-------|----------|
| No. | Name | TxWxL(mm) | holes | Material |
| PDT1540154 | 1.5mm Double T-type plate | 1.5x4x154 | 30 | S |

UK-PB Bridging plate



00000 00000

UK-PF1520

1.5/2.0mmFusion Plate

| | Name - | S | ze | |
|--------|-----------------------|------------|-------|----------|
| No. | Name | TxWxL(mm) | holes | Material |
| PF1520 | 1.5/2.0mmFusion Plate | 1.3x6.0x80 | 13 | S |

| No | Name | Nama | S | ize | |
|----------|------|----------------------|------------|-------|----------|
| No. | | Name | TxWxL(mm) | holes | Material |
| PB205550 | 1 | 2.0mm Bridging plate | 1.5x5.5x50 | 6 | S |
| PB205560 | 1 | 2.0mm Bridging plate | 1.5x5.5x60 | 7 | S |
| PB205570 | 1 | 2.0mm Bridging plate | 1.5x5.5x70 | 8 | S |
| PB246552 | | 2.4mm Bridging plate | 2.0x6.5x52 | 6 | S |
| PB246565 | 1 | 2.4mm Bridging plate | 2.0x6.5x65 | 8 | S |
| PB278097 | | 2.7mm Bridging plate | 2.5x8.0x97 | 8 | S |

UK-PDC

DCP straight plate



| No. | Name | S | ize | |
|------------|--------------------------|-------------|-------|----------|
| 140. | Ivame | TxWxL(mm) | holes | Material |
| PDC205033 | 2.0mm DCP straight plate | 1.5x5.0x33 | 6 | S |
| PDC205038 | 2.0mm DCP straight plate | 1.5x5.0x38 | 7 | S |
| PDC205043 | 2.0mm DCP straight plate | 1.5x5.0x43 | 8 | S |
| PDC205048 | 2.0mm DCP straight plate | 1.5x5.0x48 | 9 | S |
| PDC205053 | 2.0mm DCP straight plate | 1.5x5.0x53 | 10 | S |
| PDC205063 | 2.0mm DCP straight plate | 1.5x5.0x63 | 12 | S |
| PDC275037 | 2.7mm DCP straight plate | 2.0x8.0x37 | 4 | S |
| PDC275045 | 2.7mm DCP straight plate | 2.0x8.0x45 | 5 | S |
| PDC275053 | 2.7mm DCP straight plate | 2.0x8.0x53 | 6 | S |
| PDC275061 | 2.7mm DCP straight plate | 2.0x8.0x61 | 7 | S |
| PDC275069 | 2.7mm DCP straight plate | 2.0x8.0x69 | 8 | S |
| PDC275077 | 2.7mm DCP straight plate | 2.0x8.0x77 | 9 | S |
| PDC275085 | 2.7mm DCP straight plate | 2.0x8.0x85 | 10 | S |
| PDC2750101 | 2.7mm DCP straight plate | 2.0x8.0x101 | 12 | S |



| No. | Name | S | Size | |
|-----------|---------------|------------|---------|----------|
| 140. | Name | TxWxL(mm) | (holes) | Material |
| PT154029 | 1.5mm T-Plate | 1.2x4.0x29 | 3+4 | S |
| PT154038 | 2.0mm T-Plate | 1.2x5.0x38 | 2+4 | S |
| PT154057 | 2.0mm T-Plate | 1.2x5.0x57 | 2+8 | S |
| PT205028 | 2.0mm T-Plate | 1.5x5.0x28 | 2+3 | S |
| PT205042 | 2.0mm T-Plate | 1.5x5.0x42 | 2+4 | S |
| PT205035 | 2.0mm T-Plate | 1.5x5.0x35 | 3+3 | S |
| PT205049 | 2.0mm T-Plate | 1.5x5.0x49 | 3+4 | S |
| PT205062 | 2.0mm T-Plate | 1.5x5.0x62 | 3+8 | S |
| PT246560 | 2.4mm T-Plate | 1.5x6.5x60 | 2+8 | S |
| PT278041 | 2.7mm T-Plate | 2.0x8.0x41 | 2+4 | S |
| PT278098 | 2.7mm T-Plate | 2.0x8.0x98 | 2+8 | S |
| PT3511098 | 3.5mm T-Plate | 3.0x11x98 | 2+8 | S |

UK-PLCDC LC-DCP straight plate



| No. | Name | S | ize | |
|--------------|--------------------------------|-------------|---------|---------|
| 140. | Name | TxWxL(mm) | (holes) | Materia |
| PLCDC246534 | 2.4mm LC-DCP straight plate | 2.0x6.5x34 | 4 | S |
| PLCDC246534 | 2.4mm LC-DCP straight plate | 2.0x6.5x42 | 5 | S |
| PLCDC246542 | 2.4mm LC-DCP straight plate | 2.0x6.5x50 | 6 | S |
| PLCDC246558 | 2.4mm LC-DCP straight plate | 2.0x6.5x58 | 7 | S |
| PLCDC246566 | 2.4mm LC-DCP straight plate | 2.0x6.5x66 | 8 | S |
| PLCDC246582 | 2.4mm LC-DCP straight plate | 2.0x6.5x82 | 10 | S |
| PLCDC278039 | 2.7mm LC-DCP straight plate | 2.2x8.0x39 | 4 | S |
| PLCDC278048 | 2.7mm LC-DCP straight plate | 2.2x8.0x48 | 5 | S |
| PLCDC278057 | 2.7mm LC-DCP straight plate | 2.2x8.0x57 | 6 | S |
| PLCDC278066 | 2.7mm LC-DCP straight plate | 2.2x8.0x66 | 7 | S |
| PLCDC278075 | 2.7mm LC-DCP straight plate | 2.2x8.0x75 | 8 | S |
| PLCDC278084 | 2.7mm LC-DCP straight plate | 2.2x8.0x84 | 9 | S |
| PLCDC278093 | 2.7mm LC-DCP straight plate | 2.2x8.0x93 | 10 | S |
| PLCDC2780111 | 2.7mm LC-DCP straight plate | 2.2x8.0x111 | 12 | S |



Distal Femur plate





| No. | Name | S | ize | Material |
|-------------|--------------------------|-----------|-----|----------|
| | Name | TxWxL(mm) | | |
| PDF272168I | 2.7mm Distal Femur plate | 2.5x21x68 | L/R | S |
| PDF272168II | 2.7mm Distal Femur plate | 2.5x21x68 | L/R | S |



| No. | Name | S | Size | |
|------------|--------------------------|------------|------|----------|
| IVO. | Name | TxWxL(mm) | | Material |
| PDF3525115 | 3.5mm Distal Femur plate | 3.0x25x115 | L/R | S |

UK-PA

Acetabular Plate



| No. | Name | holes | Materia |
|------|------------------------|-------|---------|
| PA15 | 1.5mm Acetabular Plate | 4 | S |
| PA20 | 2.0mm Acetabular Plate | 4 | S |
| PA24 | 2.4mm Acetabular Plate | 6 | S |
| PA27 | 2.7mm Acetabular Plate | 6 | S |
| PA35 | 3.5mm Acetabular Plate | 6 | S |

UK-ALPS

Titanium locking plate

| 000000000000000000000000000000000000000 |
|---|
| 000000000000000000000000000000000000000 |
| 000000000000000000000000000000000000000 |
| 000000000000000000000000000000000000000 |

| No. | Name | S | | |
|--------------|--|--------------|---------|----------|
| | | TxWxL(mm) | (holes) | Material |
| ALPS241850 | LPS322575 Titanium locking plate LPS323088 | 1.8x5.0x237 | 43 | Т |
| ALPS242065 | | 2.0x6.5x238 | 34 | Т |
| ALPS322575 | | 2.5x7.5x234 | 26 | Т |
| ALPS323088 | | 3.0x8.5x220 | 22 | Т |
| ALPS403510 | | 3.5x10x240 | 20 | Т |
| ALPS40115234 | | 4.0x11.5x234 | 18 | т |

UK-PX

X-type Plate



| No. | | Name | | | |
|--------|--|--------------------|-------|---------|----------|
| | | Idailia | L(mm) | (holes) | Material |
| PX1514 | | 1.5mm X-type Plate | 14 | 4 | S |
| PX1515 | | 1.5mm X-type Plate | 15 | 4 | S |
| PX1519 | | 1.5mm X-type Plate | 19 | 6 | S |
| PX2016 | | 2.0mm X-type Plate | 16 | 4 | S |
| PX2017 | | 2.0mm X-type Plate | 17 | 4 | S |
| PX2023 | | 2.0mm X-type Plate | 23 | 6 | s |
| PX2414 | | 2.4mm X-type Plate | 14 | 4 | |
| PX2418 | | 2.4mm X-type Plate | 18 | 4 | S |
| PX2426 | | 2.4mm X-type Plate | 26 | 6 | S |
| PX2721 | | 2.7mm X-type Plate | 21 | 4 | S |
| PX2725 | | 2.7mm X-type Plate | 25 | 4 | S |
| PX2730 | | 2.7mm X-type Plate | 30 | 6 | S |

UK-ALPS

ALPS locking screw



| | star | | |
|--------|-------|------|-----------|
| No |). | | Size |
| UK-ALP | SLS24 | Φ2.4 | L: 6-18mm |
| UK-ALP | SLS32 | Ф3.2 | L: 6-18mm |

UK-ALPS

ALPS self-tapping screw



| star | |
|-------------|----------------|
| No. | Size |
| UK-APLSTS15 | Φ1.5 L: 6-28mm |
| UK-ALPSTS24 | Φ2.4 L: 8-28mm |

UK-

self-tapping screw



| No. | | Size |
|-------|------|-----------|
| STS15 | Φ1.5 | L: 6-20mm |
| STS20 | Φ2.0 | L:6-24mm |
| STS24 | Φ2.4 | L:8-24mm |
| STS27 | Φ2.7 | L:8-36mm |
| STS35 | Φ3.5 | L:12-40mm |

UK-TPLO

TPLO Plate



| No. | Name | Size | | | |
|----------|------------------|-------|-------|-----|----------|
| | Ivallie | L(mm) | holes | | Material |
| TPLO2026 | 2.0mm TPLO Plate | 26 | 6 | L/R | S |
| TPLO2041 | 2.7mm TPLO Plate | 41 | 6 | L/R | S |
| TPLO2064 | 3.5mm TPLO Plate | 64 | 6 | L/R | S |

UK K-wire / Thread Pin



| No. | Name | Size | |
|---------|------------|------|------------|
| KIMO040 | | D | Φ0.8-4.0mm |
| KW0840 | K-wire | L | 250mm |
| TP2040 | | D | Ф2.0-4.0mm |
| | Thread Pin | L | 250mm |

Titanium Elastic Pin

| No. | Size | |
|---------|------|------------|
| | D | Φ1.5mmmm |
| TEP1540 | L | 320mm |
| | D | Φ2.0-4.0mm |
| | L | 400mm |

| - | |
|-----|---|
| | |
| W . | 1 |
| 8 | J |
| - | |

Medical wire

| No. | Size | Material | |
|--------|--------------|----------|--|
| | Φ0.3mm L:10m | S/T | |
| | Φ0.5mm L:10m | S/T | |
| MW0312 | Φ0.8mm L:10m | S/T | |
| | Φ1.0mm L:10m | S/T | |
| | Φ1.2mm L:10m | S/T | |